



*NOTICE OF PUBLIC MEETING – Notice is hereby given that a public meeting of the Diversion Evaluation Committee of the Dental Board of California will be held as follows:*

**NOTICE OF DIVERSION EVALUATION COMMITTEE MEETING**

**Thursday, September 4, 2014**  
Dental Board of California  
2005 Evergreen Street, Suite 1550  
Conference Room  
Sacramento, CA 95815  
(916) 263-2300

**AGENDA**

**8:00 AM OPEN SESSION**

**ROLL CALL AND ESTABLISHMENT OF QUORUM**

**CALL TO ORDER**

**CLOSED SESSION**

The committee will meet in closed session pursuant to Business and Profession Code Section 1696 to discuss and vote on matters related to Diversion Program applicants and participants.

**OPEN SESSION**

**FUTURE AGENDA ITEMS**

**PUBLIC COMMENT FOR ITEMS NOT ON THE AGENDA**

*Note: The Committee may not discuss or take action on any matter raised during the Public Comment section that is not included on this agenda, except whether to decide to place the matter on the agenda of a future meeting. (Government Code Section 11125 and 11125.7(a))*

**ADJOURNMENT**

Public comments will be taken on agenda items at the time the specific item is raised. The Committee may take action on any item listed on the agenda, unless listed as informational only. All times are approximate and subject to change. Agenda items may be taken out of order to accommodate speakers and to maintain a quorum. The meeting may be cancelled without notice. For verification of the meeting, call (916) 263-2300, or access the Board's Web Site at [www.dbc.ca.gov](http://www.dbc.ca.gov). The meeting facilities are accessible to individuals with physical disabilities. Providing your request at least five (5) business days before the meeting will help ensure availability of the requested accommodation. Please make your request for an accommodation or any other request related to the meeting to Lori Reis, Diversion Program Manager at 2005 Evergreen Street, Suite 1550, Sacramento, CA 95815, no later than one week prior to the day of the meeting.