

Candidate ID#	Patient's Chart #:		
Candidate Name:			
Factor 1: Review of medical and dental history (Part A) – Score [] [4] – Demonstrates complete knowledge and understanding of implications to dental care; Provides clear presentation of case. [3] – Demonstrates complete understanding of implications to dental care but presentation could be improved. [2] – Recognized significant findings: Misses some information but minimal impact on patient care. [1] – Recognized medical conditions but fails to place in context of dental care; Unaware of medications or required precautions for dental appointment; Lack of information compromises patient care. [0] – Critical errors – • Lacks current information. • Endangers patient. • Does NOT include vital signs. • Leaves questions regarding medical or dental history unanswered. • Does NOT identify need for medical consult. Comments:	Factor 2: Radiographic findings (Part A) – Score [] [4] – Identifies and interprets all radiographic findings. [3] – Identifies and interprets significant radiographic findings. [2] – Interprets radiographic findings with minor deviations that do NOT substantially alter treatment. [1] – Misses significant radiographic findings. [0] – Critical errors – • Grossly misinterprets radiographic findings. • Fails to identify non-diagnostic radiographs. • Presents with outdated radiographs. Comments:		
Examiner Signature	Examiner Signature		
Examiner Printed Name	Examiner Printed Name		
Date	Date		



Performs periodontal examination which has no diagnostic value. Provides insecurate assessment of
 Provides inaccurate assessment of key parameters.
Comments:
Examiner Signature Examiner Printed Name
Date

Ρ



Factor 4: Evaluate periodontal etiology/risk factors (Part A) –	Factor 5: Comprehensive periodontal diagnosis (Part A) –			
Score []	Score []			
[4] – Identifies all systemic, local etiologic and risk factors.	[4] – Provides accurate and complete diagnosis based on comprehensive clinical examination and findings; Demonstrates comprehensive understanding of			
[3] – Misses <u>one</u> risk factor.	periodontal diagnosis.			
[2] – Misses two risk factors but treatment is NOT substantially impacted.	[3] – Provides accurate and complete diagnosis based on clinical examination and findings pertinent to the case.			
[1] – Misses risk factors which compromise treatment planning and patient care.	[2] – Differentiates between periodontal health, gingivitis and periodontitis; Makes acceptable diagnosis with minimal			
[0] – Critical errors –Fails to identify all risk factors.	deviations from ideal but treatment is NOT impacted.			
Comments:	[1] – Fails to diagnose periodontitis; Makes diagnosis with critical deviations from optimal; Provides a diagnosis which lacks rationale.			
	 [0] - Critical errors - Fails to make a diagnosis. Provides diagnosis which is grossly incorrect. 			
	Comments:			
Examiner Signature	Examiner Signature			
Examiner Printed Name	Examiner Printed Name			
Date	Date			



Factor 6: Treatment plan (Part A) –	Factor 7: Calculus detection (Part B) -		
Score []	Score []		
[4] – Provides comprehensive and clinically appropriate treatment plan including clear	Quadrant:		
description of etiology, benefits of treatment, alternatives, and risk factors.	[4] – Demonstrates complete detection of all subgingival calculus present in		
[3] – Provides comprehensive and clinically appropriate treatment plan including clinically	quadrant(s).		
appropriate alternative treatment plan (if any); Provides adequate description of risks and benefits or treatment and alternatives.	[3] – Incorrectly identifies absence or presence of <u>one</u> area of clinically demonstrable subgingival calculus.		
[2] – Provides clinically appropriate treatment plan but fails to address some factors that are unlikely to affect outcome; Does NOT provide clear description of risks and benefits of	[2] – Incorrectly identifies absence or presence of two areas of clinically demonstrable subgingival calculus.		
treatment and alternatives.	[1] – Misses three areas of clinically		
[1] – Provides treatment plan which fails to address relevant factors which are likely to affect outcome; Provides incomplete periodontal treatment plan that is below the standard of care and adversely affects outcome.	 demonstrable subgingival calculus. [0] - Critical errors - Misses or incorrectly identifies four or more areas of clinically demonstrable subgingival calculus. 		
[0] – Critical errors – • Provides clinically inappropriate treatment	Comments:		
plan which could harm the patient. Comments:			
Examiner Signature	Examiner Signature		
Examiner Printed Name	Examiner Printed Name		
Date	Date		



Factor 8: Effectiveness of calculus removal (Part B) –	Comments:
Score []	
[4] – Demonstrates complete removal of all calculus plaque and stains from tooth surfaces; Does NOT cause any tissue trauma; Does NOT cause any patient discomfort.	
[3] – Demonstrates complete removal of all other deposits except for stains in pits and fissures; Minimizes patient discomfort.	
[2] – Misses <u>one</u> area of clinically demonstrable subgingival calculus; Demonstrates removal of all other deposits <u>but</u> some remaining minor stains on accessible surfaces; Provides sufficient pain management for treatment.	
[1] – Misses two areas of clinically demonstrable subgingival calculus; Causes major tissue trauma; Leaves moderate plaque and supragingival calculus; Inadequate pain management.	
[0] – Critical errors –	Examiner Signature
 Misses three areas of clinically demonstrable subgingival calculus. Leaves heavy stains, plaque, and supragingival calculus. No pain management. 	Examiner Printed Name
	Date
	P



Factor 9: Periodontal re-evaluation (Part C) -

Score []

- [4] Identifies all clinical changes of periodontal condition and describes the biological basis of changes; Evaluates patient's oral hygiene, provides patient-specific oral hygiene instruction and educates patient on the significance of plaque removal and periodontal disease treatment; Evaluates and determines all of the patient's <u>specific</u> periodontal needs with detailed rationale for further periodontal procedures.
- [3] Identifies all clinical changes of periodontal condition; Evaluates and determines specific needs for periodontal care with rationale for further periodontal procedures; Accurately assesses all of patient's oral hygiene problems; Provides oral hygiene instructions that addresses all of patient's needs; Evaluates and determines all of the patient's specific periodontal needs without detailed rationale.
- [2] Identifies most clinical changes of periodontal condition but fails to identify minor changes; Accurately assesses most of patient's oral hygiene problems; Provides oral hygiene instructions that only address most of the patient's needs; Evaluates and determines general needs for periodontal care including recall intervals and referral, if indicated.
- [1] Fails to identify persistent signs and symptoms of periodontal disease; Fails to present an oral hygiene plan; Makes recommendations for further periodontal treatment that is inappropriate and demonstrates lack of understanding of patient's periodontal needs.

<u>Factor 9: Periodontal re-evaluation</u> (continued)

[0] - Critical errors -

- Fails to recognize any clinical change in periodontal condition.
- Did NOT assess patient's oral hygiene care or needs.
- Has NOT evaluated and/or determined patient's periodontal needs.

Fails to recognize need for referral.

Co	m	m	er	nts	
----	---	---	----	-----	--

Examiner Signature	
Examiner Printed Name	

Date

Ρ